

Morphological Identification of Cinchona

Experiment 15 - Practical Notes

Name: _____ Roll no.: _____ Date: _____

Aim

To identify cinchona using the supplied crude-drug specimen and diagnostic morphology.

Principle

Macroscopic identification combines the correct botanical source and plant part with shape, surface, colour, fracture and other diagnostic features. A single visual resemblance is insufficient.

Drug Profile

Field	Teaching profile
Botanical source	Assigned Cinchona species such as <i>C. calisaya</i> or <i>C. pubescens</i>
Family / source group	Rubiaceae
Part used	Dried bark
Appearance	Quilled or curved grey-brown to reddish-brown bark.
Diagnostic morphology	Outer fissures or wrinkles; fibrous inner surface and fracture.
Constituent group	Quinine-type alkaloids
Pharmacognosy context	Quinine alkaloid source

Requirements

- Authenticated comparison material and the coded teaching specimen
- Hand lens, ruler, clean tray and observation sheet

Procedure

1. Inspect the whole specimen

Record the supplied part, overall shape, colour and approximate size before breaking it.

2. Examine surface

Use a hand lens to locate the diagnostic ridges, scars, margins or other features listed below.

3. Observe fracture or cut face

Only where permitted, examine the internal surface or fracture and describe its texture.

Pharmacognosy

4. Compare

Compare the coded specimen with authenticated material; record similarities and differences.

5. Conclude

State the proposed identity, supporting features and any need for microscopy or other confirmation.

Observations and Record

Character	Actual observation
Plant part / shape	_____
Colour / dimensions	_____
Surface features	_____
Cut face / fracture	_____
Diagnostic feature / comparison	_____

Result

The supplied specimen was identified as _____ based on _____, _____ and _____. Any conflicting feature: _____.

Precautions

- Do not taste crude drugs; toxic specimens such as ephedra and rauwolfia require controlled handling.
- Do not inhale powders or break valuable museum material without permission.
- Morphology does not establish chemical potency or clinical safety.

Viva Questions and Answers**1. Which part is examined?**

Dried bark.

2. What supports identification?

Outer fissures or wrinkles; fibrous inner surface and fracture.

3. Can appearance establish assay content?

No; chemical content requires an appropriate validated test.

Continue Learning with FirstHope

Complete Notes on the FirstHope App

Complete subject and semesters are available on FirstHope app only.

- Get complete subject and semester notes in the FirstHope app.
- Available for B.Pharm, D.Pharm, M.Pharm and Pharm.D students.

[Click here to get the FirstHope app](#)

Join the FirstHope Telegram Channel

Join FirstHope Notes and keep up with channel updates.

[Click here to join Telegram](#)

Instagram

@firsthope.official

[Click here to follow Instagram](#)

YouTube Channel

FirstHope-Pharmacy / Live streams

[Click here to watch the YouTube channel](#)

WhatsApp Channel

Follow FirstHope on WhatsApp.

[Click here to join the WhatsApp channel](#)

FirstHope Website

firsthopenotes.com

[Click here to visit the website](#)