First Hope

COMPLETE NOTES

Click here to visit our website

PHARMACY PRACTICAL NOTES

Complete subject and semesters are available on FirstHope app only.

Scan or click here

Click here to get the app >

Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram >

Scan or click here

@FirstHopeNotes

Instagram

@firsthope.official

Click here to follow >

YouTube channel

FirstHope-Pharmacy / Live streams

Click here to watch >

WhatsApp channel

Follow FirstHope on WhatsApp

Click here to join >

FirstHope website

firsthope.co.in

Click here to visit >

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Complete subjects and semesters are available in the FirstHope app.

Preparation and Evaluation of Polymeric Membranes

Practical 12 - Bench formulation practical

Aim

To prepare a polymer film or membrane and relate its composition to measured transport and physical behaviour.

Principle

A membrane provides a controlled path for molecular or liquid transport. Polymer chemistry, thickness, porosity, plasticiser and hydration influence permeability and mechanical integrity.

A formulation comparison is meaningful when the raw-material grades, batch size and evaluation conditions are recorded. Change one planned factor at a time or use a documented experimental design, and compare independently prepared batches rather than only repeated readings from one batch.

Materials and Requirements

- Approved membrane-forming polymer and solvent system
- Casting surface of measured area
- Thickness, integrity and transport-testing equipment
- Calibrated balance, suitable containers and identified evaluation equipment
- Controlled batch sheet and raw-data forms

Procedure

1. Define the purpose, formula, batch size, material grades and comparison conditions. Calculate all quantities before weighing.
2. Check equipment readiness and record material identities and actual quantities. Reconcile theoretical and actual batch mass.
3. Prepare a controlled polymer composition and record solids, plasticiser and casting area.
4. Cast and dry under the selected conditions, documenting mass and thickness at representative positions.
5. Assess integrity and condition the membrane as specified before transport measurement.
6. Measure transport using matched donor and receiver conditions and record effective area, temperature and sampling corrections.
7. Evaluate the stated quality attributes on representative portions using the same method for all comparison batches. Record individual readings and any excluded observations with reasons.
8. Calculate the specified response, variability and material balance. Compare with predefined teaching or product criteria and discuss sources of variation.
9. Label retained preparations and dispose of remaining material through the laboratory procedure. Keep the complete preparation and evaluation record together.

Observations and Record

Enter actual measurements or the supplied teaching data. Record the method, material identity, conditions and units.

Attribute or stage	Method / conditions	Individual readings	Calculation / comment
Membrane position	Record the adopted method	Record	Evaluate

Attribute or stage	Method / conditions	Individual readings	Calculation / comment
Thickness	Record the adopted method	Record	Evaluate
Integrity / appearance	Record the adopted method	Record	Evaluate
Transport response	Record the adopted method	Record	Evaluate

Calculations

- Steady-state flux J = transported amount / (effective area x elapsed time), over an appropriate linear interval
- Permeability coefficient = J / donor concentration, under the stated assumptions.

Worked Example

Illustrative transported amount is 0.60 mg over a 2.0 cm^2 area during a three-hour linear interval.
J = 0.60/(2.0 x 3.0) = 0.100 mg/cm^2/h.
For a maintained donor concentration 2.0 mg/mL, the apparent permeability coefficient is 0.050 cm/h. State sink and concentration assumptions.

Result and Interpretation

- Report the defined linear interval and whether concentrations remained suitable for the model.
- State the preparation conditions and the evidence supporting the result. A satisfactory physical observation alone does not establish long-term stability, clinical performance or suitability for administration.

Precautions

- Check membrane defects and effective area.
- Control drying and conditioning.
- Correct receiver sampling and assess analyte stability.
- Use the laboratory-approved formulation and equipment procedure. Teaching batches are identified for laboratory evaluation.

Viva Questions and Answers

Why record thickness?

Thickness changes resistance to transport.

What is effective area?

The area available for transport in the assembled test.

Why state donor conditions?

Permeability calculations depend on the driving concentration.

First Hope

COMPLETE NOTES

Click here to visit our website

PHARMACY PRACTICAL NOTES

Complete subject and semesters are available on FirstHope app only.

Scan or click here

Click here to get the app >

Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram >

Scan or click here

@FirstHopeNotes

Instagram

@firsthope.official

Click here to follow >

YouTube channel

FirstHope-Pharmacy / Live streams

Click here to watch >

WhatsApp channel

Follow FirstHope on WhatsApp

Click here to join >

FirstHope website

firsthope.co.in

Click here to visit >

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Complete subjects and semesters are available in the FirstHope app.