

Stereochemical Models of Organic Molecules

Experiment 16 - Practical Notes

Name: _____ Roll no.: _____ Date: _____

Aim

To construct and compare the stereochemical models listed in the syllabus.

Principle

Molecular geometry and restricted rotation determine three-dimensional arrangement. Models help distinguish connectivity, conformation and configuration.

Requirements

- Instructor-provided labelled diagrams, traces or data for this activity.
- Calculator, graph paper or spreadsheet, and the activity record.

Procedure

1. Build simple molecules

Construct methane, ethane, ethene and ethyne. Record bond geometry and explain single-bond rotation versus multiple-bond restrictions.

2. Compare substituted alkenes

Use a suitable alkene with two different groups on each double-bond carbon. Build the specified cis and trans models and compare spatial arrangement.

3. Apply priority rules

For an assigned alkene, label the higher-priority group on each carbon and assign E or Z; do not assume cis/trans and E/Z are always equivalent.

4. Study tetrahedral inversion

Build the supplied stereocentre and its inverted configuration. Distinguish inversion from rotation of the whole model.

5. Record

Draw labelled models and state which pairs are identical, conformers or configurational isomers.

Pharmaceutical Organic Chemistry

Observations and Record

Record item	Entry
Activity / material identifier	_____
Measurement or visible feature	_____
Comparison / calculated outcome	_____
Interpretation and limitation	_____

Result

The recorded finding is ____; the supporting observation or calculation is _____. The main limitation is _____.

Precautions

- Use the supplied teaching material; distinguish a measured observation from an assumed value.
- Keep units, axes, labels and measurement conditions consistent.
- Record limitations and seek instructor review before applying a conclusion to a live case.

Viva Questions and Answers**1. Why is methane tetrahedral?**

Four bonding regions are arranged about carbon in a tetrahedral geometry.

2. Why is alkene rotation restricted?

Rotation disrupts the pi-bond overlap.

3. What is inversion at a stereocentre?

A change in the stereochemical arrangement at that centre, distinct from rotating the entire model.

Continue Learning with FirstHope

Complete Notes on the FirstHope App

Complete subject and semesters are available on FirstHope app only.

- Get complete subject and semester notes in the FirstHope app.
- Available for B.Pharm, D.Pharm, M.Pharm and Pharm.D students.

[Click here to get the FirstHope app](#)

Join the FirstHope Telegram Channel

Join FirstHope Notes and keep up with channel updates.

[Click here to join Telegram](#)

Instagram

@firsthope.official

[Click here to follow Instagram](#)

YouTube Channel

FirstHope-Pharmacy / Live streams

[Click here to watch the YouTube channel](#)

WhatsApp Channel

Follow FirstHope on WhatsApp.

[Click here to join the WhatsApp channel](#)

FirstHope Website

firsthopenotes.com

[Click here to visit the website](#)