

Pharmaceutical analysis

Introduction to Pharmaceutical Analysis

Definition of Pharmaceutical Analysis

- Pharmaceutical analysis is a specialized branch of analytical chemistry focused on the identification, quantification, and evaluation of the quality, safety, and efficacy of pharmaceutical products.
- It involves the application of various analytical techniques and methodologies to ensure that drugs and pharmaceutical substances comply with established standards and regulatory requirements.

Scope of Pharmaceutical Analysis

1. Quality Control:

- Ensures pharmaceutical products meet quality standards for purity, potency, stability, and uniformity.
- Involves analysis of raw materials, in-process materials, finished products, and packaging.

2. Drug Development:

- Supports the identification and characterization of APIs and excipients.
- Aids in optimizing formulations and manufacturing processes.

3. Method Development and Validation:

- Focuses on creating, optimizing, and validating analytical methods to ensure accuracy, precision, and reliability.

4. Pharmacokinetics and Bioanalysis:

- Analyzes drug ADME (absorption, distribution, metabolism, excretion) to guide dosing and understand pharmacological effects.

5. Stability Testing:

- Evaluates drug stability under various conditions to determine shelf life and proper storage.

6. Impurity Profiling:

- Identifies and quantifies impurities to ensure drug safety and efficacy.

7. Regulatory Compliance:

- Ensures adherence to regulations and guidelines from authorities like the FDA and EMA.


8. Counterfeit Drug Detection:

- Identifies counterfeit or adulterated drugs to safeguard public health and maintain the pharmaceutical supply chain.

Different techniques of analysis in Pharmaceutical Analysis

- There are numerous analytical techniques used in pharmaceutical analysis, each with its specific applications and advantages.

Some of the most commonly used techniques include:



A. Spectroscopy

1. Ultra-violet-Visible (UV-Vis) Spectroscopy:

- Analyzes the absorption of UV and visible light by molecules, providing information on concentration, purity, and molecular structure.

2. Infrared (IR) Spectroscopy:

- Identifies functional groups and chemical bonds in molecules based on their vibrational frequencies.

3. Nuclear Magnetic Resonance (NMR) Spectroscopy:

- Investigates the magnetic properties of atomic nuclei to determine molecular structure and identify compounds.

4. Mass Spectrometry (MS):

- Determines the mass-to-charge ratio of ions to identify and quantify molecules in a sample.

B. Chromatography

1. High-Performance Liquid Chromatography (HPLC):

- Separates and quantifies components in a mixture using a liquid mobile phase and a stationary phase.

2. Gas Chromatography (GC):

- Separates and analyzes volatile compounds using a gaseous mobile phase and a stationary phase.

3. Thin-Layer Chromatography (TLC):

- Separates components of a mixture on a coated solid support using a liquid mobile phase.

C. Electrophoresis

1. Capillary Electrophoresis (CE):

- Separates molecules based on their charge and size using an electric field in a capillary column.

2. Gel Electrophoresis:

- Separates molecules, typically proteins or nucleic acids, based on their size and charge in a gel matrix under an electric field.

D. Titrimetry

1. Acid-Base Titration:

- Determines the concentration of an acid or base by neutralization with a standard solution of known concentration.

2. Redox Titration:

- Involves the use of a reducing or oxidizing agent to determine the concentration of an analyte based on its redox properties.

E. Electroanalytical Techniques

1. Potentiometry:

- Measures the potential difference between two electrodes in an electrochemical cell to determine the concentration of an analyte.

2. Voltammetry:

- Analyzes the current-voltage relationship in an electrochemical cell to determine the concentration and identity of analytes.

F. Microscopy

1. Optical Microscopy:

- Uses visible light and lenses to magnify and examine the physical properties of small samples.

2. Electron Microscopy:

- Utilizes a beam of electrons to magnify and study the structure and composition of samples at high resolution.

G. Thermal Analysis

1. Differential Scanning Calorimetry (DSC):

- Measures the heat flow associated with phase transitions and chemical reactions in a sample.

2. Thermogravimetric Analysis (TGA):

- Monitors weight changes in a sample as a function of temperature, providing information on composition, purity, and thermal stability.

Methods of expressing strength of solutions

- Concentration refers to the amount of solute present in a given quantity of solvent or solution.

There are several methods to express concentration, each with a specific formula.

1. Mass Percentage (w/w):

- Mass percentage is the mass of solute in a given mass of solution, expressed as a percentage.
- **Formula:**

$$\text{Mass \%} = \left(\frac{\text{mass of solute}}{\text{mass of solution}} \right) \times 100$$

2. Volume Percentage (v/v):

- Volume percentage is the volume of solute in a given volume of solution, expressed as a percentage.
- **Formula:**

$$\text{Volume \%} = \left(\frac{\text{volume of solute}}{\text{volume of solution}} \right) \times 100$$

3. Mass/Volume Percentage (w/v):

- Mass/volume percentage is the mass of solute in a given volume of solution, expressed as a percentage.
- **Formula:**

$$\text{Volume \%} = \left(\frac{\text{mass of solute}}{\text{volume of solution}} \right) \times 100$$

4. Molarity (M):

- Molarity is the number of moles of solute in one liter of solution.
- **Formula:**

$$M = \frac{\text{moles of solute}}{\text{liters of solution}}$$

5. Molality (m):

- Molality is the number of moles of solute in one kilogram of solvent.
- **Formula:**

$$m = \frac{\text{moles of solute}}{\text{kilograms of solvent}}$$

6. Mole Fraction (x):

- Mole fraction is the ratio of the moles of one component to the total number of moles in the mixture.
- **Formula:**

$$x_A = \frac{\text{moles of A}}{\text{moles of A} + \text{moles of B}}$$

7. Normality (N):

- Normality is the number of gram-equivalents of solute in one liter of solution.
- **Formula:**

$$N = \frac{\text{gram-equivalents of solute}}{\text{liters of solution}}$$

Primary & Secondary Standards

A **standard solution** is a solution of known concentration used in analytical techniques like titrations and spectrophotometry to determine unknown concentrations and ensure accuracy.

A. Primary Standards

- Primary standards are high-purity substances used to prepare standard solutions with accurate concentrations.



FREE PREVIEW

[Click here to visit our website](#)

PHARMACY PREMIUM NOTES

Complete subject
and semesters are
available on
FirstHope app only.



[Scan or click here](#)

Click here to get the app



Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram



[Scan or click here](#)

@FirstHopeNotes

Instagram

@firsthope.official

[Click here to follow >](#)

YouTube channel

FirstHope-Pharmacy / Live streams

[Click here to watch >](#)

WhatsApp channel

Follow FirstHope on WhatsApp

[Click here to join >](#)

FirstHope website

firsthopenotes.com

[Click here to visit >](#)

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.