Dietary Supplements and Nutraceuticals

Effect of Processing on the Potential of Nutraceuticals

- Processing plays a vital role in determining the bioavailability, efficacy, and stability of nutraceuticals.
- While some processing techniques can enhance these properties, others may degrade the active compounds if not carefully managed.

Impact on Bioavailability

A. Extraction Methods

- Techniques like cold pressing and solvent extraction can improve the availability of bioactive compounds by making them more accessible for absorption.
- However, harsh methods may degrade heat-sensitive or light-sensitive components.

B. Encapsulation

- Encapsulation protects active ingredients from degradation during storage and digestion, enhancing both bioavailability and targeted delivery.

Influence on Efficacy

A. Thermal Processing

- High heat can denature or destroy delicate bioactive compounds, reducing therapeutic potential.
- In contrast, heat may sometimes activate or convert compounds into more bioactive forms (e.g., lycopene in tomatoes).

B. Fermentation

- Fermentation may improve the efficacy of nutraceuticals by enhancing digestibility and producing bioactive metabolites with improved biological activity.

Effects on Stability

A. Drying Techniques

- Methods like freeze-drying and spray drying help reduce moisture, improving shelf life and preserving compound integrity.

B. Microencapsulation

- This process offers a protective barrier against oxidative and environmental damage, enhancing product stability during storage.

Modification of Active Components

A. Chemical Modifications

- Some processing methods may chemically alter active ingredients, creating new compounds with different or reduced biological activity.

B. Degradation of Nutrients

- Excessive processing can lead to the breakdown of essential nutrients, reducing the nutritional value and effectiveness of the product.

Effect of Storage on the Potential of Nutraceuticals

- Storage conditions greatly influence the safety, stability, and potency of nutraceuticals.
- Factors like temperature, light, humidity, oxygen exposure, and packaging play key roles in preserving product quality.

1. Temperature

A. Heat Exposure

- High temperatures accelerate degradation of sensitive compounds such as antioxidants and vitamins, leading to reduced efficacy.

B. Cold Storage

- Refrigeration can slow degradation and extend shelf life.
- However, extreme cold may cause precipitation or destabilization of some ingredients.

2. Light Exposure

A. UV and Visible Light

- Light exposure can lead to photooxidation and degradation of compounds like riboflavin, vitamin A, and phytochemicals.

B. Protective Packaging

- Using opaque, UV-resistant containers helps prevent light-induced deterioration.

3. Humidity

A. Moisture Absorption

- High humidity can lead to clumping, microbial contamination, and hydrolysis, all of which affect product integrity.

B. Use of Desiccants

- Incorporating desiccants in packaging can help control internal moisture levels and protect hygroscopic compounds.

4. Oxygen Exposure

A. Oxidation

- Oxygen can degrade sensitive nutrients such as vitamin C, vitamin E, and polyunsaturated fatty acids, reducing their effectiveness and possibly forming harmful by-products.

B. Oxygen Scavengers & Inert Packaging

- Techniques like nitrogen flushing and oxygen scavengers reduce oxidation by minimizing oxygen exposure.

5. Interaction with Packaging Materials

A. Material Reactivity

- Packaging materials can interact chemically with the product, leading to contamination or degradation.
- Selecting inert, non-reactive packaging is crucial to avoid such interactions.

Effect of interactions of various environmental factors on the potential of nutraceuticals

- The potential of nutraceuticals—defined by their bioavailability, stability, and efficacy—can be significantly influenced by environmental interactions.
- These complex interactions involve variables such as temperature, humidity, light, oxygen, pollutants, and even packaging materials.
- Understanding these interdependent effects is crucial to preserving the quality and therapeutic potential of nutraceuticals.

1. Temperature and Humidity Interactions

A. Moisture-Induced Degradation

- Elevated temperatures can enhance moisture absorption in hygroscopic materials, accelerating degradation reactions like hydrolysis.

B. Thermal Stability in Humid Conditions

- Some compounds remain stable at high temperatures under dry conditions but degrade rapidly when exposed to both heat and moisture simultaneously.

2. Light and Oxygen Exposure

A. Photooxidation

- UV and visible light in the presence of oxygen can trigger oxidative reactions, degrading sensitive compounds such as:
  - Vitamins (e.g., riboflavin, vitamin A)
  - Antioxidants
  - Unsaturated fatty acids

First Hope

FREE PREVIEW

Click here to visit our website

PHARMACY PREMIUM NOTES

Complete subject and semesters are available on FirstHope app only.

Scan or click here

Click here to get the app >

Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram >

Scan or click here

@FirstHopeNotes

Instagram

@firsthope.official

Click here to follow >

YouTube channel

FirstHope-Pharmacy / Live streams

Click here to watch >

WhatsApp channel

Follow FirstHope on WhatsApp

Click here to join >

FirstHope website

firsthope.co.in

Click here to visit >

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.