

Patient counselling

Patient Counselling

Definition

- Patient counselling is a structured, interactive process in which a pharmacist or healthcare provider provides detailed information, advice, and assistance to help patients understand their medications and health conditions, thereby enabling them to use their medications safely, effectively, and responsibly.
- **It involves:**
 - Educating the patient about proper drug use
 - Ensuring adherence to the therapeutic regimen
 - Empowering the patient to make informed decisions about their health

Benefits of Patient Counselling

- Patient counselling offers multiple benefits that improve therapeutic outcomes and patient satisfaction.
- **These include:**
 - 1. Improved Medication Adherence**
 - Patients better understand their medication schedules, leading to improved compliance.
 - 2. Reduction in Medication Errors**
 - By knowing the correct dose, route, and timing, chances of incorrect use are minimized.
 - 3. Better Management of Side Effects**
 - Patients can identify and report adverse effects early and manage them appropriately.
 - 4. Increased Patient Satisfaction and Trust**
 - Effective communication builds a strong pharmacist–patient relationship.
 - 5. Enhanced Disease Management**
 - Counselling patients are better informed about lifestyle changes and monitoring their conditions (e.g., blood sugar levels in diabetics).
 - 6. Prevention of Drug Interactions and Misuse**

- Awareness about drug-drug and drug-food interactions helps in avoiding complications.

Stages of Patient Counselling

Patient counselling is a systematic process that generally includes four key stages:

Introduction Stage

- **Goal:**

- Establish rapport and create a welcoming environment

- **Key activities:**

- Greet the patient politely.
- Introduce yourself (name and role).
- Confirm the patient's identity (name, age, condition).
- Ensure privacy and confidentiality.
- Ask permission to counsel.

- **Example:**

- *"Hello, I'm your pharmacist. May I take a few minutes to explain how to use your new medicine?"*

Counselling Content (Information Delivery)

- **Goal:**

- Provide comprehensive, patient-specific information about the medication and/or health condition.

- **Topics to cover:**

- Name and purpose of the drug
- Dosage form, route of administration, and duration of therapy
- Dosing schedule (how often, when to take)
- Expected benefits and timeline
- Possible side effects and how to manage them
- Drug-food and drug-drug interactions
- Precautions and contraindications
- Storage instructions
- What to do in case of a missed dose or overdose
- Lifestyle and dietary advice if necessary

- **Example:**

- *"Take this antibiotic twice daily after food for 5 days. You may experience mild nausea, which usually goes away. Store it in a cool, dry place."*

Counselling Process (Interactive Engagement)

- **Goal:**

- Ensure two-way communication and patient understanding

- **Strategies:**

- Use simple, non-technical language.
- Ask open-ended questions (e.g., "Can you tell me how you'll take this medicine?").
- Use visual aids or written leaflets if needed.
- Use the "teach-back" method: ask the patient to repeat instructions in their own words.
- Address doubts or misinformation.
- Encourage questions.

- **Example:**

- *"What will you do if you forget to take your evening dose?"*

Closing the Counselling Session

- **Goal:**

- Ensure that the patient feels confident and supported.

- **Key points:**

- Summarize the key instructions.
- Reassure the patient.
- Offer contact for follow-up queries.
- Thank the patient and close the session politely.

- **Example:**

- *"If you have any questions later, feel free to call the pharmacy. Take care and have a good day!"*

Barriers to Effective Patient Counselling

Barriers can occur at different levels and hinder the quality of communication.

Types of Barriers

1. Patient-related Barriers

- Lack of understanding (low literacy, language differences)
- Emotional distress (anxiety, fear, depression)
- Lack of interest or motivation
- Hearing or cognitive impairments
- Cultural beliefs and health misconceptions

2. Pharmacist-related Barriers

- Lack of communication skills
- Time constraints and workload
- Inadequate training or confidence
- Lack of interest or negative attitude

3. Environmental Barriers

- Lack of privacy in counselling area
- Noisy or crowded pharmacy settings
- Interruptions or distractions
- Inadequate facilities or tools (e.g., no leaflets or chairs)

4. Systemic/Institutional Barriers

- No standard operating procedures (SOPs) for counselling
- Absence of patient records or access to medical history
- Lack of recognition of counselling as a pharmacist duty

Strategies to Overcome Barriers

For Patient-related Barriers

- Use simple, non-technical language
- Speak slowly and clearly



FREE PREVIEW

[Click here to visit our website](#)

PHARMACY PREMIUM NOTES

Complete subject
and semesters are
available on
FirstHope app only.



[Scan or click here](#)

Click here to get the app



Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram



[Scan or click here](#)

@FirstHopeNotes

Instagram

@firsthope.official

[Click here to follow >](#)

YouTube channel

FirstHope-Pharmacy / Live streams

[Click here to watch >](#)

WhatsApp channel

Follow FirstHope on WhatsApp

[Click here to join >](#)

FirstHope website

firsthopenotes.com

[Click here to visit >](#)

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.