Introduction to nomenclature of organic chemical systems

- The systematic naming of organic compounds is crucial for clear and precise communication among chemists.
- The International Union of Pure and Applied Chemistry (IUPAC) has established a set of rules for the nomenclature of organic compounds.
- This system allows for the unambiguous identification of compounds based on their structure.
- Here, we'll organize the IUPAC nomenclature rules for open-chain (aliphatic) compounds and carbocyclic compounds, focusing on structures with up to 10 carbon atoms.

Open-Chain (Aliphatic) Compounds

- Open-chain compounds can be either saturated, known as alkanes, or unsaturated, including alkenes and alkynes.

A. Alkanes (Saturated Hydrocarbons)

- Alkanes are characterized by having only single bonds between carbon atoms. The naming convention is straightforward:
- **Prefix**: Indicates the number of carbon atoms.
- **Suffix**: "-ane" for alkanes.
- The prefixes for the first ten alkanes are as follows:

1. **Meth- (1 carbon)**
2. **Eth- (2 carbons)**
3. **Prop- (3 carbons)**
4. **But- (4 carbons)**
5. **Pent- (5 carbons)**
6. **Hex- (6 carbons)**
7. **Hept- (7 carbons)**
8. **Oct- (8 carbons)**
9. **Non- (9 carbons)**
10. **Dec- (10 carbons)**

- **Example:** Pentane (C_5H_{12}) for a five-carbon alkane.

B. Alkenes and Alkynes (Unsaturated Hydrocarbons)

- Alkenes and alkynes contain at least one carbon-carbon double or triple bond, respectively.

Copyright © 2025 by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

- **Alkenes**: Use the suffix "-ene."
- **Alkynes**: Use the suffix "-yne."
  - **Example for Alkenes**: Pent-2-ene for a five-carbon chain with a double bond between the second and third carbons.
  - **Example for Alkynes**: Pent-1-yne for a five-carbon chain with a triple bond between the first and second carbons.

Carbocyclic Compounds

Carbocyclic compounds consist of **carbon-only rings**, which may be saturated or unsaturated.

A. Cycloalkanes (Saturated Ring Compounds)

- Composed of carbon atoms in a ring with single bonds only.
- Named by adding the prefix **"cyclo-"** to the alkane name.
- **Example:** *Cyclohexane* – a six-carbon ring with all single bonds.

B. Cycloalkenes (Unsaturated Ring Compounds)

- Contain at least one double bond within the carbon ring.
- Named using **"cyclo-"** with the suffix **"-ene."** Numbering starts at one of the carbons in the double bond to assign the lowest possible numbers.
- **Example:** *Cyclohex-1-ene* – a six-membered ring with a double bond between carbons 1 and 2.

Substituents on Chains or Rings

- When side groups (substituents) are attached to the main chain or ring, they are named as **prefixes** and listed in **alphabetical order.**
- Their **position** on the chain or ring is indicated by a number.
- **Example:** *3-Methylpentane* – a methyl group is attached to the third carbon of a pentane chain.

IUPAC systems of nomenclature of organic compounds

- The **International Union of Pure and Applied Chemistry (IUPAC)** has developed a standardized system for naming organic compounds.
- This ensures precise and universal communication among chemists worldwide. The system applies to:
  - **Open-chain (aliphatic) compounds**
  - **Carbocyclic compounds**
  - **Compounds with functional groups**

Copyright © 2025 by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

Below is a concise overview of the IUPAC nomenclature system for organic compounds with up to 10 carbon atoms.

1. Open-Chain (Aliphatic) Compounds

A. Alkanes (Saturated Hydrocarbons)

- Alkanes are hydrocarbons with only single bonds between carbon atoms.
- **Naming rule**: Prefix (indicating the number of carbon atoms) + suffix "-ane".

Carbon Count	Prefix	Example
1	Meth-	Methane
2	Eth-	Ethane
3	Prop-	Propane
4	But-	Butane
5–10	Pent-, Hex-, Hept-, Oct-, Non-, Dec-	Pentane, etc.

B. Alkenes and Alkynes (Unsaturated Hydrocarbons)

- **Alkenes**: Have one or more double bonds.
- **Alkynes**: Have one or more triple bonds.
- **Naming rule**: Suffix "-ene" for alkenes, "-yne" for alkynes. The position of the multiple bond is indicated by a number.
- **Examples**:
  - "Pent-2-ene" (five-carbon chain, double bond between the second and third carbons).
  - "Pent-1-yne" (five-carbon chain, triple bond between the first and second carbons).

2. Carbocyclic Compounds

A. Cycloalkanes (Saturated)

- Cycloalkanes are cyclic hydrocarbons with only single bonds.
- **Naming rule**: Prefix "cyclo-" + alkane name (based on the number of carbon atoms in the ring).
- **Example**: "Cyclohexane" for a six-carbon ring.

B. Cycloalkenes (Unsaturated)

- Cycloalkenes contain at least one double bond in the ring.

Copyright © 2025 by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

- **Naming rule**: Prefix "cyclo-" + suffix "-ene", with numbers indicating the position of the double bond.
- **Example**: "Cyclohex-1-ene" for a six-carbon ring with a double bond between the first and second carbons.

3. Naming Substituents and Functional Groups

- Functional groups modify the base name of a molecule.
- They can be included as **prefixes** (if not the highest priority) or **suffixes** (if highest priority).

Functional Group	Formula	Prefix	Suffix	Example
Alcohol	-OH	hydroxy-	-ol	Ethanol
Amine	$-NH_2$	amino-	-amine	Methylamine
Aldehyde	-CHO	formyl-	-al	Formaldehyde
Ketone	>C=O	oxo-	-one	Propanone
Carboxylic Acid	-COOH	carboxy-	-oic acid	Acetic acid
Ester	-COOR	alkoxycarbonyl-	-oate	Ethyl acetate

- Additional functional groups (ethers, amides, nitriles, etc.) follow similar rules.

General rules of IUPAC nomenclature

- The **International Union of Pure and Applied Chemistry (IUPAC)** provides a globally accepted system for naming organic compounds.
- These rules ensure consistent, clear, and logical naming based on the compound’s molecular structure.

This guide summarizes the fundamental principles for naming aliphatic, carbocyclic, and functionalized organic compounds.

Core Naming Rules

1. Identify the Longest Continuous Carbon Chain

- The longest uninterrupted carbon chain becomes the **parent chain** and determines the root name.
- **Example:** A chain with 7 carbon atoms is named **heptane**.

2. Number the Carbon Chain

- Number from the end nearest to the **first substituent or functional group** to ensure the lowest possible locants (position numbers).

Copyright © 2025 by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

- **Example:** In *4-ethyl-2,3-dimethylheptane*, numbering gives the lowest positions to the groups.

3. Identify and Name Substituents

- Side groups (alkyls, halogens, etc.) are treated as **prefixes**.
- Use multiplicative prefixes (di-, tri-, tetra-) for identical substituents.
- **Example:** *2,3-dimethyl-4-ethylheptane*

4. Assign Locants to Substituents

- Indicate the exact carbon atoms to which substituents are attached.
- **Example:** In *4-ethyl-2,3-dimethylheptane*, ethyl is on C4, methyls on C2 and C3.

5. Arrange Substituents in Alphabetical Order

- List substituents alphabetically, **ignoring** multiplicative prefixes (di-, tri-, etc.).
- **Example:** Ethyl comes before methyl in *4-ethyl-2,3-dimethylheptane*

6. Use Proper Punctuation

- Use **commas** between numbers
- Use **hyphens** between numbers and letters
- Do **not** use spaces
- **Example:** *4-ethyl-2,3-dimethylheptane*

Functional Groups and Priority

7. Determine the Principal Functional Group

- The **highest priority** group determines the **suffix** and numbering.
- Start numbering to give the principal group the **lowest possible number**.

Priority Order (Highest to Lowest):

1. **Carboxylic Acid** (–COOH) → *-oic acid*
2. **Ester** (–COOR) → *-oate*
3. **Aldehyde** (–CHO) → *-al*
4. **Ketone** (>C=O) → *-one*
5. **Alcohol** (–OH) → *-ol*
6. **Amine** (–NH_2) → *-amine*

- **Example:** *4-chloro-3-hydroxybutan-2-one*
  - Ketone is the suffix (*-one*)

Copyright © 2025 by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

First Hope

FREE PREVIEW

Click here to visit our website

PHARMACY PREMIUM NOTES

Complete subject and semesters are available on FirstHope app only.

Scan or click here

Click here to get the app >

Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram >

Scan or click here

@FirstHopeNotes

Instagram

@firsthope.official

Click here to follow >

YouTube channel

FirstHope-Pharmacy / Live streams

Click here to watch >

WhatsApp channel

Follow FirstHope on WhatsApp

Click here to join >

FirstHope website

firsthope.co.in

Click here to visit >

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.