Quality control of Crude Drugs


Adulteration of Drugs of Natural Origin

- **Adulteration** refers to the intentional or unintentional addition, substitution, or removal of substances in a drug, compromising its quality and safety.

Types of Adulteration

- Adulteration refers to the contamination or addition of inferior substances to food, beverages, or other products, making them unsafe for consumption.

It can be broadly classified into two types:



1. Direct Adulteration

- Direct adulteration occurs when harmful substances are deliberately added to food products to increase quantity, enhance appearance, or reduce costs.
- These substances are often toxic and pose serious health risks.

Examples of Direct Adulteration:

- **Addition of non-edible colors** – e.g., Metanil yellow in turmeric
- **Mixing toxic chemicals** – e.g., Formalin in milk and fish
- **Use of non-food-grade additives** – e.g., Washing powder in ice cream
- **Blending with inferior substances** – e.g., Starch in milk or ghee

2. Indirect Adulteration

- Indirect adulteration occurs unintentionally due to environmental contamination, improper handling, or poor storage conditions.
- It usually happens during production, processing, transportation, or packaging.

Examples of Indirect Adulteration:

- **Pesticide residues in fruits and vegetables** – e.g., DDT, lead, mercury
- **Heavy metal contamination in water** – e.g., Arsenic, cadmium
- **Oil rancidity due to improper storage** – leading to toxic effects
- **Rodent or insect contamination** – e.g., Presence of insect parts in grains

Causes of Adulteration

- **Economic Gain:** Lower production costs by using cheaper materials.

Copyright © 2025 by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

- **Lack of Regulation:** Inadequate enforcement of quality standards.
- **Misidentification:** Errors in plant or species identification leading to the use of incorrect materials.
- **Environmental Factors:** Contamination from soil, water, or air pollutants.

Examples of Adulteration

A. Plant-Based Drugs:

- **Turmeric (Curcuma longa):** Adulterated with metanil yellow (a synthetic dye) to enhance color.
- **Ginger (Zingiber officinale):** Adulterated with wheat flour or other fillers to increase weight.

B. Animal-Based Drugs:

- **Honey:** Adulterated with sugar syrups or corn syrup.
- **Insulin:** Originally extracted from animal pancreases, potential contamination if not properly purified.

Detection and Prevention of Adulteration

- **Strict Regulatory Frameworks:** Implementing and enforcing standards like the United States Pharmacopeia (USP) or the European Pharmacopoeia.
- **Supplier Verification:** Ensuring that raw materials are sourced from reputable suppliers.
- **Good Manufacturing Practices (GMP):** Adhering to GMP to minimize contamination and ensure consistency.
- **Advanced Analytical Techniques:** Utilizing sophisticated methods for detection (discussed in evaluation methods below).

Organoleptic (Sensory) Evaluation of Drugs

Definition

- Involves the use of the **sense organs** (sight, smell, taste, touch) to inspect the crude drug.

Key Properties Assessed

1. **Appearance** (color, shape, size): e.g., bright yellowish-orange for turmeric rhizome.
2. **Odor**: e.g., characteristic pungent-spicy smell of clove.
3. **Taste**: e.g., bitter taste of quinine bark.
4. **Texture**: e.g., brittle leaves of senna.

Copyright © 2025 by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

Significance

- **Preliminary screening** for authenticity and obvious adulteration.
- **Quick and cost-effective** check.

Limitations

- Subjective and requires **experience**.
- Cannot detect subtle adulterants.

Microscopic Evaluation of Drugs

Definition

- **Microscopic examination** of crude drugs (whole or powdered) to study **histological** or **cellular** features.

Procedure

1. Preparation of **thin sections** (e.g., transverse or longitudinal) of the plant part.
2. **Staining or clearing** the sample (e.g., with chloral hydrate, phloroglucinol + HCl).
3. Observation of **distinctive tissue structures** (e.g., trichomes, stomata, vascular bundles, calcium oxalate crystals).

Key Properties Assessed

- **Diagnostic cell structures** (types of fibers, vessels, glands).
- **Characteristic inclusions** (starch grains, crystals, pigments).

Significance

- **Definitive identification** of plant drugs.
- Detection of **foreign matter** (e.g., other plant tissues, insects).

Limitations

- Requires **expertise** in plant anatomy.
- May not reveal chemically similar adulterants if they share similar microscopic features.

Physical Evaluation of Drugs

Definition

- Measurement of **physical parameters** and constants that help gauge purity and identity.

Common Physical Tests

Copyright © 2025 by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

1. **Foreign Matter Content**: Visual or sieve-based inspection.
2. **Moisture Content / Loss on Drying**: Prevents microbial growth, ensures stability.
3. **Ash Values**
    - **Total Ash**: Inorganic residue after incineration.
    - **Acid-Insoluble Ash**: Detects silica and dirt.
    - **Water-Soluble Ash**.
4. **Extractive Values**: Water-soluble, alcohol-soluble extractives indicating content of soluble constituents.
5. **Volatile Oil Content**: For aromatic drugs (clove, cinnamon).
6. **Melting/Boiling Point**: Helps identify purified natural compounds (e.g., camphor).
7. **Specific Gravity / Optical Rotation**: Characteristic for certain oils and solutions.

Significance

- **Quantitative** measure of purity (limits set in pharmacopoeias).
- **Quality control** benchmark across batches.

Limitations

- Does not definitively confirm **chemical identity** of active constituents.
- Some tests can vary based on environmental or processing factors.

Chemical Evaluation of Drugs

Definition

- **Qualitative** and **quantitative** chemical analyses to identify and measure **active constituents** or marker compounds.

Approaches

1. Simple Chemical Tests:

- Color reactions (e.g., Mayer’s reagent for alkaloids, Ferric chloride test for phenolics).

2. Chromatographic Techniques:

- **TLC / HPTLC**: Quick, cost-effective separation and identification.
- **HPLC / GC**: More precise, can quantify individual components.

3. Spectral Methods:

- **UV-Vis**, **IR**, **NMR**, **Mass Spectrometry** for structural and purity analysis.

4. Assay Methods:

Copyright © 2025 by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

First Hope

FREE PREVIEW

Click here to visit our website

PHARMACY PREMIUM NOTES

Complete subject and semesters are available on FirstHope app only.

Scan or click here

Click here to get the app >

Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram >

Scan or click here

@FirstHopeNotes

Instagram

@firsthope.official

Click here to follow >

YouTube channel

FirstHope-Pharmacy / Live streams

Click here to watch >

WhatsApp channel

Follow FirstHope on WhatsApp

Click here to join >

FirstHope website

firsthope.co.in

Click here to visit >

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.