


Molecular Docking

Rigid Docking

- Rigid docking is a molecular docking method in which both the ligand (drug molecule) and the target (protein) are treated as fixed structures.



- This means their shapes do not change during the docking process.

Why Rigid Docking is Important

- It is simple and fast compared to other docking methods
- It requires less computational power
- It is useful for initial screening of compounds

Basic Concept of Rigid Docking

- The ligand is placed into the binding site of the target
- Both structures remain fixed without movement
- The best fit is selected based on shape and interaction

Types of Rigid Docking Approaches

1. Shape Complementarity Method

- The ligand is fitted into the target based on matching shapes

2. Geometric Matching Method

- Matching of geometric features between ligand and target

3. Grid-Based Docking

- A grid is created around the binding site for docking

Steps in Rigid Docking

1. Preparation of Target Structure

- The protein structure is selected and prepared

2. Preparation of Ligand Structure

- The ligand molecule is prepared

3. Docking Process

- The ligand is placed into the binding site

4. Scoring

- Binding strength is calculated

5. Selection of Best Pose

- The best fit is selected

Advantages of Rigid Docking

1. It is simple and fast.
2. It requires less computational power.

Limitations of Rigid Docking

1. No Flexibility

- Does not consider movement of molecules

2. Less Accuracy

- May not represent real biological conditions

3. Limited Application

- Not suitable for flexible proteins or ligands

Flexible Docking

- Flexible docking is a molecular docking method where the ligand, the protein, or both are allowed to change their shape during the docking process.

Why Flexible Docking is Important

- It provides more realistic results
- It considers the natural movement of molecules
- It improves accuracy in predicting binding

Basic Concept of Flexible Docking

- Molecules adjust their shape to fit each other
- Multiple conformations are generated
- The best conformation is selected

Types of Flexible Docking

1. Ligand Flexible Docking

- Only the ligand is flexible

2. Protein Flexible Docking

- Only the protein is flexible

3. Fully Flexible Docking

- Both ligand and protein are flexible

Methods Used in Flexible Docking

1. Systematic Search Methods

- All possible conformations are explored

2. Stochastic Methods

- Random sampling of conformations

3. Molecular Dynamics-Based Methods

- Simulate movement over time

Steps in Flexible Docking

1. Structure Preparation

- Target and ligand are prepared

2. Generation of Conformations

- Different shapes of molecules are created

3. Docking Simulation

- Ligand is docked into the target

4. Scoring and Ranking

- Binding strength is evaluated

5. Selection of Best Complex

- The best interaction is selected

Advantages of Flexible Docking

1. High Accuracy

- Provides better prediction of binding

2. Realistic Simulation

- Mimics real biological conditions

3. Better Drug Design Support

- Helps in designing effective drugs

Limitations of Flexible Docking

1. It requires more computational time.
2. It is more complex than rigid docking.

Manual Docking

- Manual docking is a simple method of molecular docking where the researcher places the ligand into the binding site of the target protein manually using visualization tools.

Characteristics of Manual Docking

- It is performed using graphical software.
- It depends on human understanding of molecular interactions.

Why Manual Docking is Important

- It helps to understand basic ligand–protein interactions
- It is useful for teaching and initial analysis
- It allows visual inspection of binding

Basic Concept of Manual Docking

- The ligand is positioned inside the binding site by the user
- The researcher adjusts orientation and position
- Interactions are visually examined

Types of Manual Docking

1. Visual Placement Docking

- Ligand is placed based on visual matching

2. Interactive Docking

- User adjusts ligand in real time using software tools

3. Guided Docking

- Placement is based on known interaction points

Steps in Manual Docking

1. Loading of Protein Structure

- The target protein is opened in software

2. Loading of Ligand Structure

- The ligand molecule is added

3. Positioning of Ligand

- The ligand is manually placed in the binding site

4. Adjustment of Orientation

- The ligand is rotated and moved for best fit

5. Interaction Analysis

- Hydrogen bonds and other interactions are checked

Advantages of Manual Docking

- It helps in understanding basic interactions.
- It is useful for educational purposes.

Limitations of Manual Docking

1. Low Accuracy

- Depends on user skill

2. Time-Consuming

- Not suitable for large datasets

3. No Automated Scoring

- Lacks precise scoring compared to automated methods

Docking-Based Screening

- Docking-based screening is a computational method where a large number of compounds are docked into a target protein to identify potential lead compounds.

Why Docking-Based Screening is Important

- It helps to screen large compound libraries efficiently
- It reduces the need for experimental screening
- It identifies potential drug candidates quickly

Basic Concept of Docking-Based Screening




FREE PREVIEW

[Click here to visit our website](#)

PHARMACY PREMIUM NOTES

Complete subject
and semesters are
available on
FirstHope app only.



[Scan or click here](#)

Click here to get the app



Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram



[Scan or click here](#)

@FirstHopeNotes

Instagram

@firsthope.official

[Click here to follow >](#)

YouTube channel

FirstHope-Pharmacy / Live streams

[Click here to watch >](#)

WhatsApp channel

Follow FirstHope on WhatsApp

[Click here to join >](#)

FirstHope website

firsthopenotes.com

[Click here to visit >](#)

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.