Analytical Method Validation

General Principles of Analytical Method Validation

- Analytical method validation is a documented process that demonstrates that an analytical method is suitable for its intended purpose.
- Validation provides evidence that the method consistently produces accurate, reliable, and reproducible results.
- Analytical method validation is an essential requirement in pharmaceutical quality control and quality assurance.

Need for Analytical Method Validation


- Analytical results are used for product release decisions.
- Accurate testing is required to ensure product quality.
- Regulatory agencies require validated analytical methods.
- Validation reduces the risk of incorrect analytical results.

When Validation is Required

- Before introducing a new analytical method.
- When significant changes are made to an existing method.
- When transferring methods between laboratories.
- When changes are made to instruments or testing conditions that may affect method performance.

First Hope

Types of Analytical Methods



1. **Identification Tests**
   - These tests confirm the identity of a substance.
2. **Assay Methods**
   - These methods determine the amount of active ingredient present.

Copyright by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

3. Impurity Tests

- These methods detect and quantify impurities and degradation products.

4. Limit Tests

- These tests determine whether impurities are within specified limits.

Validation Lifecycle

A. Method Development

- Analytical conditions are selected and optimized.
- Suitable instruments and reagents are identified.

B. Method Validation

- Validation studies are performed according to approved protocols.
- Performance characteristics are evaluated.

C. Method Transfer

- The validated method is transferred to other laboratories when necessary.

D. Routine Use

- The validated method is used for regular analysis.
- Ongoing monitoring ensures continued suitability.

First Hope

Important Validation Characteristics

- Specificity.
- Accuracy.
- Precision.
- Linearity.
- Range.
- Detection limit.
- Quantitation limit.
- Robustness.

Documentation

- Validation protocols.
- Validation reports.
- Raw data records.
- Standard operating procedures.

Copyright by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

Importance


- Validated methods ensure confidence in analytical results.
- Reliable analytical data support product quality and regulatory compliance.

Validation of Analytical Methods as per ICH Guidelines

Basic Idea

- The International Council for Harmonisation (ICH) provides globally accepted guidelines for analytical method validation.
- ICH guideline Q2 is widely used for validating analytical procedures in pharmaceutical industries.
- The guideline describes validation parameters and their evaluation requirements.

Validation Parameters According to ICH



The required validation characteristics depend on the intended purpose and technology of the analytical procedure.

1. Specificity

- Specificity is the ability of a method to measure the analyte accurately in the presence of impurities, degradation products, and excipients.
- The method should clearly distinguish the analyte from other components.

2. Accuracy

- Accuracy is the closeness of test results to the true value.
- Accuracy is usually determined by recovery studies.
- The percentage recovery is calculated and evaluated.

3. Precision

- Precision is the degree of agreement among individual test results obtained from repeated measurements.

Copyright by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

Types of Precision

a) Repeatability

- Repeatability evaluates precision under the same operating conditions over a short period.

b. Intermediate Precision

- Intermediate precision evaluates variations within the same laboratory, such as different analysts, instruments, or days.

c. Reproducibility

- Reproducibility evaluates precision between different laboratories.

4. Linearity

- Linearity is the ability of a method to obtain results directly proportional to analyte concentration.
- Multiple concentration levels are analyzed.
- A calibration curve is prepared and evaluated.

5. Range

- Range is the interval between the upper and lower concentrations where acceptable accuracy, precision, and linearity are demonstrated.

6. Detection Limit (LOD)

- Detection limit is the lowest amount of analyte that can be detected but not necessarily quantified accurately.
- It indicates method sensitivity.

7. Quantitation Limit (LOQ)

- Quantitation limit is the lowest amount of analyte that can be quantified accurately and precisely.

8. Robustness

- Robustness is the ability of a method to remain unaffected by small deliberate changes in method parameters.
- Parameters such as pH, temperature, flow rate, and wavelength may be varied during testing.

Validation Process According to ICH

1. Preparation of validation protocol.
2. Performance of validation experiments.
3. Collection and analysis of data.
4. Comparison with acceptance criteria.

First Hope

Copyright by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

5. Preparation of validation report.

Documentation

- Validation protocol.
- Validation data sheets.
- Statistical analysis reports.
- Final validation report.

Importance

- ICH validation ensures globally accepted analytical quality standards.
- Compliance with ICH guidelines supports regulatory approval of pharmaceutical products.

Validation of Analytical Methods as per USP

Basic Idea

- The United States Pharmacopeia (USP) provides standards and guidelines for analytical method validation used in pharmaceutical testing.
- USP validation requirements are similar to ICH guidelines and focus on demonstrating the suitability of analytical procedures.
- USP emphasizes scientific evidence to prove method reliability.

First Hope

Objectives

- To ensure analytical methods produce reliable results.
- To establish suitability of methods for routine testing.
- To maintain compliance with pharmacopeial standards.
- To support quality assurance activities.

Validation Parameters According to USP

A. Accuracy

- Accuracy demonstrates how close the measured value is to the true value.
- Accuracy is commonly evaluated through recovery studies.

B. Precision

- Precision demonstrates the consistency of analytical results.

Types of Precision

a) Repeatability

- Results obtained under identical conditions are evaluated.

Copyright by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

First Hope

FREE PREVIEW

Click here to visit our website

PHARMACY PREMIUM NOTES

Complete subject and semesters are available on FirstHope app only.

Scan or click here

Click here to get the app >

Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram >

Scan or click here

@FirstHopeNotes

Instagram

@firsthope.official

Click here to follow >

YouTube channel

FirstHope-Pharmacy / Live streams

Click here to watch >

WhatsApp channel

Follow FirstHope on WhatsApp

Click here to join >

FirstHope website

firsthope.co.in

Click here to visit >

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.