

Electrometric Methods

Electrometric Methods

Definition:

- **Electrometric methods** involve the **measurement of electrical quantities**—such as **potential (voltage), current, or conductivity**—to study and quantify chemical systems.
- These techniques are highly sensitive, non-destructive, and suitable for detecting trace amounts of substances.

Electrometric methods are mainly used for:

- Quantitative analysis
- Qualitative analysis
- Studying reaction kinetics
- Determining equilibrium constants

Types of Electrometric Methods:




1. **Potentiometry**
2. **Conductometry**
3. **Polarography**
4. **Amperometric Titrations**

Potentiometry

Potentiometry

Definition:

- Potentiometry is an electrochemical technique in which the electrode potential (voltage) of a cell is measured without drawing any significant current.
- It is mainly used to determine the concentration of an ion in solution by measuring the electrical potential difference between a reference electrode and an indicator (sensing) electrode.



Principle:

- The working principle is based on the Nernst equation, which relates the measured electrode potential to the ion activity (or concentration):

$$E = E^{\circ} - \frac{0.0591}{n} \log a_{ion}$$

- Where:
 - E = measured electrode potential
 - E° = standard electrode potential
 - n = number of electrons involved in the reaction
 - a_{ion} = activity of the ion
- Since no significant current flows through the system, the chemical equilibrium is not disturbed.

Instrumentation:

1. Reference Electrode:

- Maintains a constant potential.
- Examples: **Standard Hydrogen Electrode (SHE), Calomel Electrode, Ag/AgCl Electrode**

2. Indicator Electrode:

- Responds to the activity of a specific ion.
- Examples:
 - **Glass electrode** for H^+ (pH)
 - **Metal electrodes** for metal ions (Cu, Zn, etc.)
 - **Ion-selective electrodes (ISEs)** for specific ions (F^- , Na^+ , K^+)

3. High-impedance Voltmeter or Potentiometer:

- Measures the potential difference without allowing significant current to flow.

Applications:

- **pH measurement** using glass electrode
- Determination of **fluoride, nitrate, calcium, etc.** using ion-selective electrodes
- Used in **potentiometric titrations**, where the equivalence point is detected by a sharp change in potential
- Monitoring of **redox reactions**

Advantages:

- Highly selective when using ion-selective electrodes
- Minimal disturbance to the system
- Applicable over a wide concentration range

Limitations:

- Electrode calibration is necessary
- Slower response in low-conductivity solutions
- Potential affected by interfering ions

Electrical Potential

Definition:

- Electrical potential (or electric potential) refers to the amount of electric potential energy per unit charge at a point in a field.
- It represents the **capacity of an electric field to do work** on a charged particle.
- **Formula:**

$$V = \frac{W}{q}$$

- **Where:**
 - V = electrical potential (volts, V)
 - W = work done (joules, J)
 - q = charge (coulombs, C)

Importance in Electrochemistry:

- In electrochemical systems, electrical potential is the **driving force** behind the movement of electrons between two half-cells.
- **It helps determine:**
 - The direction of electron flow
 - The feasibility of redox reactions
 - The strength of an oxidizing/reducing agent

Measurement:

- Electrical potential cannot be measured absolutely but only as a difference between two points, typically using a reference electrode and a working/indicator electrode.

Units:

- **Volt (V):** 1 Volt = 1 Joule/Coulomb
- Measured using voltmeters or potentiometers in circuits

Role in Potentiometry:

- In potentiometry, changes in electrical potential are measured to:
 - Detect equivalence points in titrations
 - Determine ion concentration (like pH, metal ions)
 - Monitor chemical reactions

Electrochemical Cell

Definition:


- An electrochemical cell is a device that converts chemical energy into electrical energy (galvanic/voltaic cell) or uses electrical energy to drive chemical reactions (electrolytic cell).

Types of Electrochemical Cells

1. Galvanic Cells


- In a galvanic cell, a spontaneous redox reaction occurs between the anode (site of oxidation) and cathode (site of reduction).

- Electrons flow from the anode to the cathode through an external circuit, generating electric current, while the electrolyte maintains charge neutrality by allowing ion movement.
- **Example:** The Daniell cell, with a zinc anode in zinc sulfate and a copper cathode in copper sulfate, connected by a salt bridge.



2. Electrolytic Cells

- In electrolytic cells, an external voltage source drives a non-spontaneous redox reaction.
- The anode (connected to the positive terminal) is the site of oxidation, and the cathode (negative terminal) is the site of reduction.
- Applications include electroplating, electrorefining, and the electrolysis of water to produce hydrogen and oxygen.





FREE PREVIEW

[Click here to visit our website](#)

PHARMACY PREMIUM NOTES

Complete subject
and semesters are
available on
FirstHope app only.



[Scan or click here](#)

Click here to get the app



Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram



[Scan or click here](#)

@FirstHopeNotes

Instagram

@firsthope.official

[Click here to follow >](#)

YouTube channel

FirstHope-Pharmacy / Live streams

[Click here to watch >](#)

WhatsApp channel

Follow FirstHope on WhatsApp

[Click here to join >](#)

FirstHope website

firsthopenotes.com

[Click here to visit >](#)

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.