

Liquid orals

Oral Solutions

What is it?

- A *solution* is a **clear, homogeneous liquid** in which one or more active ingredients are completely dissolved in a suitable solvent system (usually water).

Formulation Details

- **API (Drug):** Must be soluble in the vehicle. May require pH adjustment or solubilizers.
- **Solvent:** Usually purified water. Other solvents like ethanol, glycerin, or propylene glycol may be used.
- **Co-solvents:** Help dissolve poorly soluble drugs.
- **Sweeteners:** Sucrose, saccharin, sorbitol improve palatability.
- **Flavors:** Mask bitterness or unpleasant taste (e.g., orange, mint).
- **Preservatives:** Prevent microbial growth, e.g., methylparaben, sodium benzoate.
- **Buffers:** Maintain pH to optimize solubility and stability.
- **Colorants:** Improve visual appeal, often natural or approved synthetic dyes.

Evaluation Parameters

- **Clarity:** Should be free from particulates or haze.
- **pH:** Measured to ensure drug stability and compatibility.
- **Viscosity:** Affects mouthfeel and dose uniformity.
- **Drug Content:** Ensures accurate dosage per mL.
- **Microbial Testing:** Ensures absence of contamination.

Stability Concerns

- **Hydrolysis:** Common in water-based solutions.
- **Oxidation:** Especially for vitamins and alkaloids.
- **Microbial Growth:** Requires preservatives.
- **Storage:** Often protected from light and stored in airtight containers.

Oral Suspensions

- A *suspension* is a **heterogeneous system** in which **insoluble drug particles** are dispersed in a liquid medium.
- Shaking is often needed before use.

Formulation Details

- **API:** Drug must be micronized for better dispersion.
- **Suspending Agents:** Maintain uniform dispersion and reduce sedimentation (e.g., xanthan gum, tragacanth, carboxymethylcellulose).
- **Wetting Agents:** Allow uniform wetting of hydrophobic drug particles (e.g., polysorbates).
- **Flocculating Agents:** Promote loosely bound aggregates that can be easily redispersed.
- Preservatives, Sweeteners, Flavoring Agents
- **Vehicle:** Usually purified water.

Evaluation Parameters

- **Sedimentation Volume:** Volume of sediment compared to the total.
- **Redispersibility:** Ease of re-suspension after settling.
- **Particle Size Distribution:** Affects dissolution and mouthfeel.
- **Viscosity:** Needs to be balanced—too thin causes rapid sedimentation, too thick affects pourability.
- pH, Drug Content, Microbial Limits

Stability Concerns

- **Physical instability:** Caking, crystal growth, or flocculation.
- **Microbial contamination:** Controlled by preservatives.
- **Phase separation:** Due to poor suspending system or incompatibility.

Oral Emulsions

What is it?

- An *emulsion* is a thermodynamically unstable system consisting of two immiscible liquids (usually oil and water), stabilized by emulsifying agents.
- **Types:**
 - **Oil-in-Water (O/W):** Preferred for oral use (e.g., castor oil emulsion).
 - **Water-in-Oil (W/O):** Rare in oral delivery.

Formulation Details

- **Oil Phase:** Can be a drug-containing medium (e.g., mineral oil).
- Aqueous Phase
- **Emulsifying Agents:** Reduce interfacial tension and stabilize droplets.
 - Natural: Acacia, gelatin

- Synthetic: Tween 80, Span 80
- Preservatives, Flavors, Sweeteners
- **Antioxidants:** Used if oil phase is prone to oxidation (e.g., tocopherols).

Evaluation Parameters

- **Droplet Size Distribution:** Smaller and uniform droplets indicate good stability.
- **Type of Emulsion:** Determined using dye test or conductivity test.
- **Viscosity:** Affects mouthfeel and pourability.
- **Phase Separation:** Indicates emulsion instability.
- pH, Drug Content, Microbial Testing

Stability Concerns

- **Creaming:** Reversible rising/falling of droplets.
- **Cracking (Breaking):** Irreversible separation—cannot be redispersed.
- **Coalescence:** Fusion of smaller droplets into larger ones.
- **Oxidation:** Of oils and lipophilic drugs.

Suspensions

Definition of Suspensions

- A suspension is a heterogeneous mixture in which finely divided solid particles are dispersed in a liquid medium.
- The particles in a suspension are larger than those in a solution and do not dissolve in the liquid.
- Over time, these solid particles settle out due to gravity, making suspensions distinct from solutions and colloidal dispersions.
- **Examples:** Antacid suspensions, Calamine lotion, and some antibiotic suspensions.

Advantages of Suspensions

1. **Increased Stability:** Certain drugs that are unstable in solution form can be stabilized in a suspension, as the solid form of the drug is generally more stable than in solution.
2. **Ease of Administration:** Suspensions allow the administration of poorly soluble drugs in a liquid form, making them easier to swallow for pediatric or geriatric patients.
3. **Controlled Release:** Suspensions can be formulated to provide slow and sustained drug release, which is helpful in cases where controlled delivery is desired.
4. **Taste Masking:** Insoluble drugs can be suspended, masking their unpleasant taste better than in solution form.

5. **Flexibility in Dosing:** Suspensions allow for easy dose adjustments by measuring out different volumes.

Disadvantages of Suspensions

1. **Sedimentation:** Over time, particles tend to settle out of the suspension, leading to uneven distribution of the active ingredient if not shaken well before use.
2. **Poor Dose Uniformity:** Inadequate shaking may result in non-uniform dosing.
3. **Bulky and Inconvenient:** Suspensions are often bulkier than tablets or capsules, making them harder to store and transport.
4. **Stability Issues:** Suspensions are physically unstable and prone to caking, making resuspension difficult.

Classifications of Suspensions

Suspensions can be classified based on several factors:

1. Based on Route of Administration:

- A. **Oral suspensions:** For ingestion (e.g., antacids, antibiotics).
- B. **Topical suspensions:** Applied to skin (e.g., calamine lotion).
- C. **Parenteral suspensions:** Injected into the body (e.g., depot injections).
- D. **Ophthalmic suspensions:** For application in the eyes.

2. Based on Particle Size:

- A. **Coarse suspensions:** Particle size $> 1\ \mu\text{m}$.
- B. **Colloidal suspensions:** Particle size $< 1\ \mu\text{m}$.

3. Based on Electrokinetic Properties:

- A. **Flocculated Suspensions:** Particles form loose aggregates or flocs.
- B. **Deflocculated Suspensions:** Particles remain as individual entities and do not form aggregates.

4. Based on Concentration of Solid Content:

- A. **Dilute suspensions:** Solid content $< 2\%$.
- B. **Concentrated suspensions:** Solid content $> 2\%$.

Preparation of Suspensions

The preparation of suspensions involves several critical steps to ensure a homogenous and stable formulation:

1. Wetting of Particles

- The solid drug particles must first be wetted to prevent clumping or floating.
- Wetting agents like glycerin, ethanol, or surfactants (e.g., polysorbates) can be used.

2. Dispersion of Solid Particles

- The wetted solid is dispersed uniformly in the dispersion medium (aqueous or non-aqueous).
- High-speed mixers or colloid mills may be employed for this process.

3. Stabilization of the Suspension

- Stabilizing agents such as viscosity enhancers (e.g., methylcellulose, carbopol) are added to reduce the settling rate of particles.
- Surfactants can also be added to prevent flocculation or caking.

4. Homogenization

- The suspension is passed through a homogenizer to reduce particle size and ensure uniform distribution.

5. Packaging

- The suspension is then packaged in appropriate containers, ensuring stability and protection from light and air.

Flocculated suspension

Definition

- A **flocculated suspension** is one in which solid particles form loose, fluffy aggregates called **flocs**.
- These flocs settle quickly but can be easily redispersed upon shaking.
- Flocculated suspensions are preferred in pharmaceuticals due to their **better stability** and **ease of redispersion**.

Preparation of Flocculated Suspensions

1. Particle size reduction:


- The solid drug is **milled or micronized** to achieve a suitable particle size for proper dispersion.

2. Wetting of particles:

- A **wetting agent** is used to reduce interfacial tension between solid particles and the liquid medium.

3. Formation of flocs:

- A **flocculating agent** (e.g., electrolytes or polymers) is added to promote the formation of loose, easily dispersible flocs.





FREE PREVIEW

[Click here to visit our website](#)

PHARMACY PREMIUM NOTES

Complete subject
and semesters are
available on
FirstHope app only.



[Scan or click here](#)

Click here to get the app



Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram



[Scan or click here](#)

@FirstHopeNotes

Instagram

@firsthope.official

[Click here to follow >](#)

YouTube channel

FirstHope-Pharmacy / Live streams

[Click here to watch >](#)

WhatsApp channel

Follow FirstHope on WhatsApp

[Click here to join >](#)

FirstHope website

firsthopenotes.com

[Click here to visit >](#)

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.