Antimicrobials

Antimicrobials

Introduction:

- Antimicrobials are agents that kill microorganisms or inhibit their growth, playing a critical role in treating and preventing infections in humans, animals, and plants.
- This group includes antibiotics, antivirals, antifungals, and antiparasitics, each with varying mechanisms of action depending on the type of microorganism they target.

Mechanism of Action:


Antimicrobials exert their effects on microorganisms through various mechanisms:

1. **Inhibition of Cell Wall Synthesis:**
   - Antibiotics like penicillins and cephalosporins target bacterial cell walls, essential for bacterial integrity and survival.
   - Inhibiting cell wall synthesis causes bacteria to burst and die.
2. **Inhibition of Protein Synthesis:**
   - Antibiotics such as tetracyclines and macrolides bind to bacterial ribosomes, interfering with protein production necessary for bacterial growth and function.
3. **Alteration of Cell Membranes:**
   - Antifungals like amphotericin B bind to components of fungal cell membranes, increasing permeability and causing leakage of cellular contents.
4. **Inhibition of Nucleic Acid Synthesis:**
   - Drugs like quinolones and rifampicin interfere with DNA or RNA synthesis, crucial for bacterial replication and transcription.
5. **Antimetabolites:**
   - Sulfonamides act as antimetabolites, inhibiting folate synthesis, a vital process for bacterial DNA synthesis and replication.
6. **Interference with Pathogen Metabolism:**
   - Some antimicrobials disrupt specific biochemical pathways essential for the microorganism's energy production or replication.

Classification of Antimicrobials:

- Antimicrobials are classified based on the type of organisms they target, their chemical structure, and their mechanism of action:

Copyright © 2025 by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.



1. **Antibiotics:**
   - Specifically target bacteria.
     A. **Broad-spectrum:** Effective against a wide range of bacteria.
     B. **Narrow-spectrum:** Effective against specific types of bacteria.
2. **Antivirals:**
   - Target viruses.
   - Categorized based on the stage of the viral life cycle they affect, such as viral entry inhibitors or nucleoside analogs that inhibit viral replication.
3. **Antifungals:**
   - Used against fungal infections.
   - Include classes like polyenes, azoles, and echinocandins, differing in their mechanisms of action.
4. **Antiparasitics:**
   - Target parasitic infections caused by organisms like protozoa and helminths.
   - Examples include metronidazole for Giardia infections and mebendazole for worm infections.

- This comprehensive approach to antimicrobials highlights their mechanisms of action a

Potassium Permanganate (kmno4)

Preparation:

- Potassium permanganate is industrially prepared by reacting manganese dioxide (MnO_2) with potassium hydroxide (KOH) and a strong oxidizing agent like potassium nitrate (KNO_3) or oxygen.
- The mixture is heated to form potassium manganate (K_2MnO_4), which is then oxidized to potassium permanganate:

$$4MnO_2 + 4KOH + O_2 \longrightarrow 4K_2MnO_4 + 2H_2O$$

$$3K_2MnO_4 + 2H_2O \longrightarrow 2KMnO_4 + 2\ KOH + MnO_2$$

Properties:

- Dark purple or almost black crystalline solid.
- Highly soluble in water, forming a purple solution.

Copyright © 2025 by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

- Strong oxidizing agent.
- Stable in dry form but decomposes in the presence of organic material or reducing agents.

Uses:

- As an antimicrobial and antiseptic for treating skin infections, ulcers, and wounds.
- In dilute solutions for disinfecting water.
- In the treatment of fungal infections such as athlete's foot.
- Used in treating certain parasitic skin conditions.

Storage:

- Store in a cool, dry place away from organic materials and reducing agents.
- Keep in a tightly sealed container to avoid exposure to moisture and contaminants.

Boric Acid (H_3BO_3)

Preparation:

- Boric acid is prepared by reacting borax (sodium tetraborate decahydrate) with a mineral acid such as hydrochloric acid:

$$Na_2B_4O_7 \cdot 10H_2O + 2HCl \rightarrow 4H_3BO_3 + 2NaCl + 5H_2O$$

Properties:

- White, odorless crystalline powder.
- Slightly soluble in cold water and more soluble in hot water.
- Weakly acidic, with mild antiseptic and antifungal properties.
- Chemical formula: H_3BO_3.

Uses:

- As an antiseptic for minor cuts and burns.
- In ophthalmic preparations to treat eye infections.
- As a buffering agent in various pharmaceutical formulations.
- Used in the treatment of yeast infections in dilute concentrations.

Storage:

- Store in a cool, dry place.
- Keep in a well-sealed container to avoid moisture absorption.

Hydrogen Peroxide (H_2O_2)

Preparation:

Copyright © 2025 by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

- Industrially, hydrogen peroxide is prepared by the anthraquinone process, where anthraquinone is hydrogenated to form anthrahydroquinone, which reacts with oxygen to produce hydrogen peroxide:

$$C_{14}H_8O_2 + H_2 \rightarrow C_{14}H_{10}O_2$$

$$C_{14}H_{10}O_2 + O_2 \rightarrow C_{14}H_8O_2 + H_2O_2$$

Properties:

- Colorless liquid with a slightly sharp odor.
- Miscible with water in all proportions.
- Acts as a weak acid and strong oxidizing agent.
- Typically, available as a 3% solution for medicinal use.
- Chemical formula: H_2O_2.

Uses:

- As an antiseptic for cleaning wounds to prevent infection.
- As an oral rinse for mouth ulcers and gingivitis.
- In higher concentrations, used for sterilizing medical equipment.
- As a bleaching agent in the cosmetic industry.

Storage:

- Store in a cool, dark place, away from light and heat to prevent decomposition.
- Keep in a well-sealed, non-metallic container, typically brown or opaque to protect from light.

Assay of Hydrogen Peroxide (H_2O_2)

Purpose:

- To determine the concentration or purity of hydrogen peroxide using permanganate titration.

Procedure:

1. **Prepare a Standard Solution:**
   - Dissolve a known amount of potassium permanganate ($KMnO_4$) in water to create a solution of known concentration.
2. **Prepare the H_2O_2 Sample:**
   - Dilute an accurate volume of the H_2O_2 sample with water, as concentrated H_2O_2 can be hazardous.
3. **Add Acid:**
   - Add a known volume of sulfuric acid (H_2SO_4) to the diluted H_2O_2 sample to create an acidic environment for the reaction.

Copyright © 2025 by Engacy Learning Private Limited. All rights reserved. Reproduction or distribution without written consent is strictly prohibited.

First Hope

FREE PREVIEW

Click here to visit our website

PHARMACY PREMIUM NOTES

Complete subject and semesters are available on FirstHope app only.

Scan or click here

Click here to get the app >

Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram >

Scan or click here

@FirstHopeNotes

Instagram

@firsthope.official

Click here to follow >

YouTube channel

FirstHope-Pharmacy / Live streams

Click here to watch >

WhatsApp channel

Follow FirstHope on WhatsApp

Click here to join >

FirstHope website

firsthope.co.in

Click here to visit >

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.