Bioavailability and Bioequivalence

Bioavailability (BA): Introduction

Definition of Bioavailability

- Bioavailability is defined as the fraction (F) of an administered drug dose that reaches systemic circulation in an unchanged form and is available for therapeutic action.
- **It includes both:**
    - **Extent of drug absorption** (how much drug reaches systemic circulation)
    - **Rate of absorption** (how quickly the drug reaches systemic circulation)

Types:

- **Absolute Bioavailability (F)** – Comparison with an intravenous (IV) dose.
- **Relative Bioavailability** – Comparison between two extravascular routes or formulations.

Key Concepts:

- Drug must cross multiple biological barriers to reach systemic circulation.
- Not all the administered dose may reach systemic circulation intact.
- Influences drug efficacy, onset of action, and duration.

Objectives of Bioavailability Studies

- Bioavailability studies are conducted to:
    1. **Compare Different Drug Formulations** – Ensure consistency between different formulations of the same drug.
    2. **Evaluate Drug Absorption** – Assess how much drug enters the bloodstream after administration.
    3. **Determine Optimal Dosage Forms** – Choose the best formulation (tablet, capsule, solution, etc.).
    4. **Assess the Impact of Food or Other Factors** – Understand how food, pH, or metabolic variations affect drug absorption.
    5. **Establish Therapeutic Equivalence** – Ensure generic formulations provide the same therapeutic effect as brand-name drugs.

Importance in Drug Development and Regulation

- **Drug Discovery and Development**: Understanding bioavailability is critical during drug formulation development to ensure the drug reaches systemic circulation effectively.
- **Therapeutic Effectiveness**: Drugs with poor bioavailability may have reduced or inconsistent therapeutic effects.

- **Regulatory Approval**: Regulatory agencies like the FDA (US), EMA (Europe), and CDSCO (India) require bioavailability and bioequivalence data to approve generic formulations.
- **Interchangeability**: Bioequivalence ensures that two products can be substituted without compromising efficacy or safety.

Factors Affecting Bioavailability

A. Drug-Related Factors

- **Solubility** – Poor solubility reduces absorption.
- **Molecular Size** – Larger molecules have lower absorption.
- **Chemical Stability** – Degradation in GI tract reduces bioavailability.
- **Ionization State** – **Ionized drugs** at physiological pH have lower absorption.

B. Patient-Related Factors

- **Age** – Alters drug metabolism and absorption.
- **Genetics** – Variations in enzymes affect bioavailability.
- **Disease State** – Conditions impact drug absorption & metabolism.
- **Drug Interactions** – Can enhance or inhibit drug absorption.
- **Food Interactions** – Food can alter GI pH and drug solubility.

C. Formulation-Related Factors

- **Dosage Form** – Tablets, capsules, liquids affect absorption.
- **Drug Release Rate** – Affects dissolution and absorption.
- **Excipients** – Ingredients impact drug dissolution & uptake.
- **Particle Size** – Smaller particles dissolve faster, improving bioavailability.
- **Polymorphism** – Different crystal forms affect solubility.

Types of Bioavailability

A. Absolute Bioavailability (F_a)

Definition:

- Absolute bioavailability refers to the fraction of an administered dose of a drug that reaches the systemic circulation in an unchanged form, compared to the same dose administered intravenously (IV).

Why IV as Reference?

- IV administration has 100% bioavailability by definition because the entire dose directly enters the bloodstream, bypassing absorption barriers and first-pass metabolism.

Formula:

$$F_{abs} = \frac{AUC_{extravascular} \times Dose_{IV}}{AUC_{IV} \times Dose_{extravascular}}$$

- Where:
  - AUC = Area Under the Curve (plasma concentration-time profile)

Interpretation:

- If **F = 1.0 (or 100%)**: Drug is fully available.
- If **F < 1.0**: Some drug is lost due to incomplete absorption, first-pass metabolism, or degradation in the GI tract.

Example:

- If a 100 mg oral dose produces an AUC of 40, and a 100 mg IV dose gives an AUC of 100:

$$F_{abs} = \left(\frac{40}{100}\right) \times 100 = 40\%$$

B. Relative Bioavailability (F_r)

Definition:

- Relative bioavailability is the comparison of bioavailability between two non-IV drug formulations or routes of administration.

Use Cases:

- Comparing a generic formulation to a brand-name product.
- Comparing oral tablet vs. oral suspension, or capsule vs. tablet, etc.

Formula:

$$AF_{rel} = \frac{AUC_{Formulation\ A} \times Dose_{Formulation\ B}}{AUC_{Formulation\ B} \times Dose_{Formulation\ A}}$$

Example:

- Used in **bioequivalence studies** to determine if two formulations are therapeutically similar.

Bioavailability Study Protocol

- A bioavailability study protocol is a structured and regulatory-compliant document that outlines the objectives, design, methodology, statistical analysis, and ethical considerations for evaluating the bioavailability of a drug.

Below is a detailed breakdown:

Objectives

- To determine the rate and extent of absorption of a drug.
- To evaluate the effect of formulation, food, or other variables on absorption.
- May also include comparison to IV formulation for absolute bioavailability.

Study Design

1. Study Type:

- **Single-dose** or **multiple-dose**
- **Crossover** or **parallel** design

2. Crossover Design (most common):

- Each subject receives both test and reference formulations with a washout period in between.
- **Advantages**: Minimizes variability due to intra-subject differences.

3. Washout Period:

- Duration is generally 5–7 half-lives of the drug to avoid carryover effects.

Subjects

Inclusion Criteria

- **Healthy volunteers**, age 18–55 years
- **BMI within normal range**
- **No history** of hypersensitivity to the drug

Exclusion Criteria

- Existing illness
- Recent participation in other clinical trials
- Use of **enzyme inducers/inhibitors**

Dosing and Drug Administration

- **Exact dose** based on formulation and strength
- **Standardized meal** conditions (fasted or fed state)

First Hope

FREE PREVIEW

Click here to visit our website

PHARMACY PREMIUM NOTES

Complete subject and semesters are available on FirstHope app only.

Scan or click here

Click here to get the app >

Available on Google Play

JOIN THE FIRSTHOPE COMMUNITY

Join our Telegram channel

Click here to join Telegram >

Scan or click here

@FirstHopeNotes

Instagram

@firsthope.official

Click here to follow >

YouTube channel

FirstHope-Pharmacy / Live streams

Click here to watch >

WhatsApp channel

Follow FirstHope on WhatsApp

Click here to join >

FirstHope website

firsthope.co.in

Click here to visit >

B.Pharm / D.Pharm / M.Pharm / Pharm.D

Preview notes. Complete subjects and semesters in the FirstHope app.